

MASCHERINA FILTRANTE ANTIPOLVERE REUSABLE MASK

dispositivo generico conforme ai requisiti della direttiva 2001/95/CE



Art. 600



Si consiglia il lavaggio o sterilizzazione della mascherina prima dell'uso

- **STERILIZZABILE**
- **LAVABILE A 100 °C**
- **FILTRI INTERCAMBIABILI IN CONFEZIONI DA 20 PEZZI**



Art. 610



KIT BASE (Art. 600 + Art. 610)
Mascherina filtrante antipolvere con 2 filtri
+ Ricambio confezione da 20 filtri



PIEGA IL FILTRO
A METÀ



INSERISCILO NEL
FORO DEDICATO
E FISSALO CON
L'ANELLO COLORATO



RIDIMENSIONA
IL LACCETTO
TAGLIANDOLO
ALLA MISURA
IDEALE

In merito alla certificazione vedi art. 15 - DL 18 del 17/3/2020 CURA ITALIA
dove in deroga le mascherine vengono equiparate ai dispositivi DPI

SCHEDA TECNICA
(TECHNICAL DATA SHEET)



CLIENTE
(CUSTOMER)

RIFERIMENTO VOSTRO ORDINE
(CUSTOMER'S REFERENCE ORDER No°)

DEL
(DATED)

CODICE PRODOTTO
(PRODUCT CODE)

PRODOTTO
(PRODUCT)

NEWJET 200 PS/Q Bianco

CARATTERISTICHE TECNICHE (TECHNICAL CHARACTERISTICS)	METODO D' ANALISI (ANALYSIS METHOD)	UNITA' DI MISURA (UNIT)	VALORI MEDI (AVERAGE)	TOLLERANZA (TOLERANCE)
GRAMMATURA (WEIGHT)	ISO 9073.1	g/m ²	200	± 20
SPESSORE (THICKNESS)	ISO 9073.2	mm	1,10	± 0,15
DENSITA' (DENSITY)		g/dmc	182	
CARICO DI ROTTURA (TENSILE STRENGHT)	ISO 9073.3	LONGITUDINALE (MACHINE DIRECTION)	500	± 115
		TRASVERSALE (CROSS DIRECTION)	450	± 105
ALLUNGAMENTO A ROTTURA (ELONGATION)	ISO 9073.3	LONGITUDINALE (MACHINE DIRECTION)	55	± 15
		TRASVERSALE (CROSS DIRECTION)	75	± 25
LACERAZIONE (TEARING STRENGTH)	ISO 13937-2	LONGITUDINALE (MACHINE DIRECTION)	40	± 12
		TRASVERSALE (CROSS DIRECTION)	40	± 12
MODULO 10% (MODULUS AT 10%)	ISO 9073.3	LONGITUDINALE (MACHINE DIRECTION)	130	± 35
		TRASVERSALE (CROSS DIRECTION)	52	± 15
RETRAZIONE a 200°C/3' (SHRINKAGE)	INTERNO	LONGITUDINALE (MACHINE DIRECTION)	-4,0	± 1,0
		TRASVERSALE (CROSS DIRECTION)	-3,0	± 1,0

COMPOSIZIONE:
(COMPOSITION):

100% PET

DATA EMISSIONE DOCUMENTO
(DOCUMENT ISSUED)

14/03/2011

LAB. MANAGER

Da citare in caso di comunicazione
(to be cited in case of communication)

Approvazione RGQ	Rev. N° 0	Emissione del 05/04/2005	Conservazione 3 anni	Redatto: LAB	Verificato: Resp. CQ	Approvato: AQ
---------------------	--------------	-----------------------------	-------------------------	--------------	----------------------	---------------

Regulatory Data Sheet

Product Name(s): 2227168 Monprene RG18260N

The formulation for the Teknor Apex compound(s) listed above was reviewed for compliance with the following topics:

FDA MEDICAL

The components of the above named compound fall under one or more of the following categories:

- Substances that are “generally recognized as safe” (GRAS)
- Substances that are prior-sanctioned
- Substances that, based upon legal opinion and/or supplier certification, are acceptable for food contact applications
- Substances that are subject to an effective Food Contact Notification (FCN)
- Substances that are exempt from regulation under 21CFR170.39 - Threshold of Regulation (TOR)
- Substances identified in one or more of the Title 21 of the Code of Federal Regulations (CFR) published by the U.S. Food and Drug Administration (FDA) (174, 175, 176, 177, 178, 181, 182, 184 and 186)

There is no positive chemical or ingredient listing within 21 CFR for pharmaceutical and/or medical applications. Teknor Apex has not reviewed specific acceptable food types, conditions of use, or any limitations or restrictions of use for the components used in the above named compound. As such, it is the responsibility of the finished article manufacturer or registrant to determine suitability for their end use application.

EU MEDICAL

Every monomer, additive or colorant used to formulate the above named compound is listed in one or more of the following regulations:

- Commission Regulation (EU) No. 10/2011, as amended
- Council of Europe’s AP(89) I Resolution, the French Positive List for Plastic Materials or in the Swiss Ordinance List Annex 6, Part A or B

There is no positive chemical or ingredient listing within Regulation 10/2011 for pharmaceutical and/or medical applications. Teknor Apex has not reviewed for specific migration limits (SMLs), dual use additives per Regulation (EC) No 1333/2008, or any restrictions of use in food, the materials or final article, for the components used in the above named compound. As such, it is the responsibility of the finished article manufacturer or registrant to determine suitability for their end use application.

ROHS

The RoHS Directive restricts the use of cadmium, hexavalent chromium, lead, mercury, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), or Diisobutyl phthalate (DIBP) and limits the levels of all substances, except Cadmium, to 0.1%. Cadmium has been restricted to 0.01%.

On March 31, 2015, the (RoHS) Directive (2015/863/EU), Annex II was amended, adding a threshold level restricted to 0.1% for the following four phthalates: DBP, DEHP, BBP and DIBP. These provisions become effective for Category 8 (medical device) and Category 9 (monitoring and control equipment) on July 22, 2021, unless otherwise exempt.

As formulated, this compound does not contain any substances restricted under the EU RoHS Directive (2011/65/EU) (RoHS 2), (as amended by 2015/863 (RoHS 3)) above threshold levels. In addition, no substances restricted under RoHS were intentionally added during the manufacture of this compound above threshold levels.

REGULATION EC 1907/2006 AS AMENDED: REACH, SUBSTANCES OF VERY HIGH CONCERN (SVHC)

These compounds were not formulated to contain any of the substances listed on the Candidate List of Substances of Very High Concern (SVHC) under REACH above 0.1%, as per the most recent date of revision. In addition, no SVHCs were intentionally added during the manufacture of these compounds.

Current Number of SVHCs: 205

Most Recent Date of Revision: January 16, 2020

LATEX

The raw materials used to formulate the compound noted above have been reviewed for the presence of latex/natural rubber. This compound was not formulated to contain latex, nor is latex intentionally added during the manufacture of this compound.

CONEG (HEAVY METALS)

This compound complies with the Coalition of Northeastern Governors (CONEG) legislation and was not formulated to contain lead, cadmium, mercury or hexavalent chromium above the allowable level of 100ppm total. In addition, these four elements were not intentionally added during the manufacture of this compound above threshold levels.

SUBSTANCES OF CONCERN

The raw materials used to formulate the compound noted above have been reviewed for the presence of the following substance(s):

Bisphenol A (BPA)
Phthalates

These substance(s) are not present above 1000ppm. This compound was not formulated to contain these substance(s), nor are they intentionally added during the manufacture of this compound.

TOY STANDARDS:

Consumer Product Safety Improvement Act (CPSIA)

The raw materials used to formulate the compound noted above have been reviewed for any indication of the presence of metals and phthalate plasticizers listed in the Consumer Product Safety Improvement Act of 2008 (CPSIA). There was no indication that metals or phthalate plasticizers are present in this compound above threshold limits.

European Standard EN 71

The raw materials used to formulate the compound noted above have been reviewed for any indication of the presence of metals listed in the EN 71-3:2013 standard. The compound noted above is in compliance with "Table 2-Migration Limits from Toy Materials" of Toy Standard EN 71-3:2013 (2009/48/EC) Metal Migration and does not exceed threshold limits for the specified application.

PROPOSITION 65

These compounds were not formulated to contain any of the substances listed on California Proposition 65 (Prop 65) as of the effective date of this regulatory data sheet. In addition, no Prop 65 substances were intentionally added during the manufacture of these compounds.

German consumer goods

These compounds comply with the German food, feed and consumer goods act „Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetzbuch“ (LFGB) dated 1.9.2005.



Teknor Germany GmbH
Regulatory Affairs
Am Rödlein 1
D-91541 Rothenburg ob der Tauber

CUSTOMER NOTICE

This declaration is based on formulation and supplier information, not based on testing. It does not exclude the presence of traces due to impurities or residuals in the components supplied by third parties and used in our production facilities.

The above named compound is not approved for use in the following medical applications, (a) implants as defined as an entire device below the skin surface, (b) catheter (in-vitro) applications that are considered long term (≥ 29 days), (c) sensitive applications including mouthing toys or pacifiers for infants or young children < 3 years of age, (d) Class III life-sustaining medical applications, or (e) any other medical application that Teknor Apex may designate from time to time. U.S. FDA and/or European Class III medical device applications require prior written approval by Teknor Apex. For more information, please contact your Teknor Apex Sales Representative.

This statement applies to the compound(s) noted above only and does not extend to any substances that may be added by third parties.

This statement applies to the compound(s) noted above as it is manufactured in Germany only.

PRODUCT STEWARDSHIP

This Regulatory Data Sheet has been prepared by Teknor Apex Regulatory Affairs and is valid without signature.

DISCLAIMER

To the best of our knowledge, the information contained herein is correct and accurate but does not purport to be all inclusive and shall be used only as a guide. The information relates only to the specific material designated. Neither Teknor Apex, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Teknor Apex Company warrants only that the goods sold shall conform to Teknor Apex Company's standard specifications or such other mutually agreed-to and documented specification. This express warranty is in lieu of and excludes all other express warranties and is extended only to Buyer. **TEKNOR APEX COMPANY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND MAKES NO WARRANTY AS TO THE RESULTS BUYER CAN EXPECT FROM BUYER'S USE OF THE GOODS.** No employee or agent of Teknor Apex Company is authorized to make warranties about goods sold by Teknor Apex Company, and Buyer should not rely on any oral or written communications from employees or agents of Teknor Apex Company that purport to constitute a warranty. Any assistance furnished by Teknor Apex Company in the selection of goods or suggestions as to their processing or use are accepted by Buyer at Buyer's own risk, and Teknor Apex Company shall not be liable to Buyer for results obtained by Buyer from such assistance or suggestions. In no event and under no circumstances will Teknor Apex Company be liable for consequential damages of any kind.

Supersedes all versions prior to Effective Date
Effective Date: April 7, 2020
Document Revision: 3

2227168
20-1695/JS

TEKNOR GERMANY

Am Rödlein 1 - D-91541 Rothenburg ob der Tauber - Tel 49(0)98655749880 - FAX 49(0) 9865720 - WWW.TEKNORAPEX.COM

GRAFICHE PIZZINATO SRL

Via Venezia 119/C int. 6 - 35010 CAPRICCIO DI VIGONZA (PD)

Tel. 049 502787 - Fax 049 9802097 - Cap. Soc. € 20.000,00 i.v.

Cod. Fisc., P. Iva e Reg. Impr. Padova n. 04742770284

Uff. Commerciale: commerciale@tipografiapizzinato.it

Uff. Amministrativo: amministrazione@tipografiapizzinato.it

PEC: grafichepizzinatosrl@legalmail.it

Uff. Grafico: grafica@tipografiapizzinato.it

Skype: tipografiapizzinato

PREVENTIVO N.	370	DATA	15/04/20
---------------	-----	------	----------

Cod.	Partita IVA e Cod. Fiscale	Pag.
3915		1
Agente	Pagamento	Divisa
	DA CONCORDARE	Euro
Banca Azienda		
- IBAN:		

Spett.le	
ARENA ASSICURAZIONI	
0	
Telefono	Fax

In seguito al colloquio intercorso Vi inviamo la nostra migliore offerta:

Descrizione Articolo	U.M.	Quantita'	Prezzo Cad.	Sconto	Importo	Iva
Fornitura di kit composti da: 1 mascherina 2 filtri 1 confezione da 20 filtri	N	20.000	6,9672		139.344,00	22
Confezione filtri da 20 pezzi	N	20.000	3,6885		73.770,00	22
SPEDIZIONE A CARICO DELL'ASSOCIATO CONFEZIONAMENTO IN SCATOLE DA 10 PEZZI OPPURE DA 30 PEZZI						

Ringraziando per la Vostra attenzione porgiamo distinti saluti.

Consegna:		
Destinazione: idem c.s. - - 0		
Validita' Preventivo:	Porto	Iva esclusa